





BVMS is a unique IP video security solution that provides seamless management of digital video, audio and data across any IP network.

The different editions of BVMS – Viewer, Lite, Plus, Professional and Enterprise – offer you full scalability, so you can expand your video surveillance system according to your needs and manage up to 200,000 cameras.

BVMS Viewer

BVMS Viewer allows you to access live and recorded data from Bosch video devices, making it the right fit for applications such as retail stores. It includes 16 camera channels free of charge and can be expanded to up to 500 cameras. Moreover, it features the following advantages:

- ► Easy to install and to use the guided installation makes it easy to set-up a system in a couple of minutes. The software is provided as an e-license via e-mail.
- ► Motion and forensic search search efficiently through video footage without additional costs.
- ► Live & Playback site and dynamic transcoding use your BVMS Viewer to monitor up to 10,000 sites with access to HD images even with small bandwidth

DIVAR IP systems

The all-in-one video management appliances combine recording, video management and local operation, providing you with a complete, easy-to-install video recording system.

BVMS Lite, Plus, Professional and Enterprise

In contrast to the BVMS Viewer, BVMS Lite, Plus, Professional and Enterprise offer further functionalities next to accessing live and recorded video data:

- ▶ Intuitive alarm and event management enables security operators to react quickly in case of an incident.
- ► Maximize resilience keep operations up and running even when both, Management and Recording Servers fail.
- ▶ The extensive alarm management, map viewing capabilities and the mapbased tracking assistant allow for a complete overview of the situation and provide the operator with the details he needs.

BVMS Lite is a fully functional demo version. It includes eight camera channels free of charge and can be expanded to up to 42 cameras.

BVMS Plus addresses mid-sized applications such as offices or warehouses, allowing you to manage up to 256 cameras at a very competitive price.

BVMS Professional is the suitable solution for larger applications like airports or commercial enterprises with a maximum number of 2,000 camera channels.

For very large applications with various sites, BVMS Plus and Professional support the **Enterprise functionality**, allowing you to connect multiple BVMS systems (Lite, Plus, Professional) and / or DIVAR IP all-in-one units. It supports managing up to 200,000 cameras by the total system and enables you to access up to 100 subsystems simultaneously.

Bosch Software Assurance: Our comprehensive software maintenance and support service is available in two options. GO is our basic software maintenance and support offering that is automatically included for all software products, without additional costs. PRO is our premium software maintenance and support service offering that includes our Bosch Software Assurance GO, plus several additional features. The options also apply to BVMS on the DIVAR IP systems.

Quick Selection Guide





			$\overline{\mathbf{Z}}$			
	BVMS Viewer	BVMS Lite	DIVAR IP all-in-one 5000	DIVAR IP all-in-one 7000	BVMS Plus	BVMS Professi- onal
Sustain features	Viewei	Litto	3000	7000	i tus	Onac
System features Included cameras (max cameras)	16 (500)	9 (42)	8 (42)	8 (256)	9 (256)	8 (2.000)
Maximum number of workstations	1 (1)	8 (42) 2 (5)	2 (5)	5 (20)	8 (256) 5 (20)	5 (100)
Maximum number of clients	1	5	5	20	20	100
Maximum number of BVMS subsystems	_	_	_	0 (20)	0 (20)	0 (100)
Maximum number of Bosch VRM servers	32 ¹	2	2	2	2	125
Maximum storage capacity	n.a.	2 x 4 PB	3 x 48 TB	5 x 192 TB	2 x 4 PB	125 x 4 PB
Forensic search	•	•	•	0 X 102 1D	•	•
DVR support			1 (10)	1 (10)	1 (10)	1 (50)
Events and alarms	5 (5)	1 (10)				T (50)
Streamlining	_	•	•	•	•	•
GPU decoding Remote access	-	•	•	•	•	•
		• 2			• 2	• 2
Dynamic transcoding Web client	•		•	•	-	
	1 (1)	2 (5)	2 (5)	2 (10)	F (10)	F (100)
Keyboard support	1 (1)	2 (5)	2 (5)	2 (10)	5 (10)	5 (100)
Offline map functionality	_	•	•	•	•	•
Online map functionality	_	•	•	•	•	•
Map-based tracking assistant		•	•	•	•	•
Audio support	•	•	•	•	•	•
Decoder support	-	•	•	•	•	•
BVMS Config Wizard	-	•	•	4 (00)	4 (00)	1 (0000)
Live & Playback sites	16	_	_	1 (20)	1 (20)	1 (9999)
Supported camera devices						
Bosch panoramic cameras	•	•	•	•	•	•
Bosch UHD cameras	•	•	•	•	•	•
Bosch HD cameras	•	•	•	•	•	•
Bosch SD/ VGA cameras	•	•	•	•	•	•
Third party ONVIF Profile S cameras	•	•	•	•	•	•
Bosch H.265 cameras	•	•	•	•	•	•
Redundancy			ı			
Automatic Network Replenishment (ANR)	-	•	•	•	•	•
VMware® vSphere/ Microsoft Hyper-V Virtualization support	-	•	-	-	•	•
VMware® vSphere High Availability support	-	•	-	-	•	•
Microsoft Hyper-V Failover Cluster and Hyper-V Replica support	-	•	-	-	•	•
Failover VRM	-	8 (42)	8 (42)	8 (256)	8 (256)	8 (2000)
Dual Recording	-	8 (42)	8 (42)	8 (256)	8 (256)	8 (2000)
Alarm management			1			
Logbook	-	•	•	•	•	•
Events and alarms	-	•	•	•	•	•
Email notification	-	•	•	•	•	•
Alarm-based recording	n.a.	•	•	•	•	•
Motion recording	n.a.	•	•	•	•	•
Video Analytics events	-	•	•	•	•	•
SNMP support	-	•	•	•	•	•
Workflow with instructions on alarm	-	•	•	•	•	•
Integration						
Maximum number of Bosch B/G Series intrusion panels	-	1 (5)	1 (5)	1 (10)	1 (10)	1 (40)
Access Management System	-	5 (5)	5 (5)	5 (5)	5 (5)	5 (5)
I/O module support		•	•	•	•	•
	-					
Active directory	•	•	•	•	•	•
Active directory ATM-POS support			•	•	•	•
Active directory ATM-POS support Additional data	•	•	•			
Active directory ATM-POS support	-	•	•	•	•	•

Quick Selection Guide

Video Management Systems



	DIVAR IP all-in-one 5000	DIVAR IP all-in-one 7000	
Licensing		(22)	
BVMS 10.1 and lower	MBV-BLIT-DIP (32) MBV-1CHAN-DIP MBV-1DUR-DIP MBV-1FOV-DIP MBV-XWST-DIP MBV-XDVR-DIP MBV-XKBD-DIP MBV-XINT-DIP MBV-XPI-DIP MBV-XLPR-DIP	MBV-BPLU-DIP (32) MBV-1CHAN-DIP MBV-1DUR-DIP MBV-1FOV-DIP MBV-XWST-DIP MBV-XKBD-DIP MBV-XKBD-DIP MBV-XINT-DIP MBV-XINT-DIP MBV-XPI-DIP MBV-XPI-DIP MBV-XPI-DIP MBV-XLPR-DIP MBV-XLPR-DIP MBV-XSUB-DIP	
BVMS 11.0 and higher Software Assurance	MBV-BLIT-DIP (32) MBV-XCHANLIT MBV-XWSTLIT MBV-XDVRLIT MBV-XKBDLIT MBV-XFOVLIT MBV-XDURLIT MBV-XINTLIT MBV-XINTLIT MBV-XPILIT MBV-XLPRLIT	MBV-BPLU-DIP (32) MBV-XCHANPLU MBV-XWSTPLU MBV-XXDVRPLU MBV-XKBDPLU MBV-XFOVPLU MBV-XFOVPLU MBV-XFOVPLU MBV-XSITEPLU MBV-XPIPLU MBV-XPIPLU MBV-XPIPLU MBV-XPIPLU MBV-XPIPLU MBV-XPIPLU MBV-XPIPLU MBV-XSUBPLU	
MBV-BLIT8-DIP	Assurance Go automatically included	Assurance Go automatically included	
	Upgrade to Pro not possible	Upgrade to Pro not possible	
Activation before April 2021	3 years Assurance Pro included (starting from date of activation)	3 years Assurance Pro included (starting from date of activation)	
Activation after April 2021	Assurance Go included, Pro needs to be purchased (MBV-MLIT-DIP and corresponding extension licenses)	Assurance Go included, Pro needs to be purchased (MBV-MPLU-DIP and corresponding extension licenses)	
MBV-XCHAN-DIP (DIP-71)		Activation before April 2021: Assurance Pro until 10th October 2023 Activation after April 2021: Assurance Go included, Pro needs to be purchased (MBV-BPLU-DIP and corresponding extension licenses)	